

PATENT

Atty. Dkt. No. 003493.00360 (ATT/2001-0335)

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

1. (Currently Amended) A method for managing a data network, comprising the steps of:
 - (a)—receiving an object, wherein the object is characterized by at least one attribute and wherein the object comprises at least one data element;
 - (b)—determining whether to sample the object in accordance with a probabilistic parameter;
 - (c)—sampling the object in response to step (b) said determining step;
 - and
 - (d)—processing the sample in response to step (c) said sampling step.
2. (Original) The method of claim 1, wherein the probabilistic parameter is determined from a cost function.
3. (Original) The method of claim 2, wherein the cost function relates a network resource to a quality of measurements.
4. (Original) The method of claim 3, wherein the network resource corresponds to a sampling volume and the quality of measurements corresponds to a sampling accuracy.
5. (Currently Amended) The method of claim 1, wherein step (d) said processing step comprises:
 - aggregating a plurality of samples in accordance with the at least one attribute.

PATENT

Atty. Dkt. No. 003493.00360 (ATT/2001-0335)

6. (Currently Amended) The method of claim 1, wherein ~~step (b)~~ said determining step utilizes one of the at least one attribute to determine whether to sample the object.

7. (Original) The method of claim 6, wherein the one of the at least one attribute comprises a size of the object, wherein the size includes a contribution of the at least one data element.

8. (Currently Amended) The method of claim 7, wherein ~~step (d)~~ said processing step comprises:
normalizing the size of the object.

9. (Original) The method of claim 6, wherein the object comprises at least one data element, wherein the data element is selected from the group consisting of an octet, an Internet Protocol (IP) packet, a frame relay packet, and an Asynchronous Transfer Mode (ATM) cell.

10. (Currently Amended) The method of claim 1, further comprising the steps of:

(e)——determining a measured usage of the data network in accordance with the at least one attribute; and

(f)——charging a customer for the measured usage in accordance with a charging function, wherein the customer is associated with the at least one attribute and wherein the customer is presented a bill for a billing period and wherein a charging accuracy is related to the charging function and an accuracy of the measured usage.

11. (Original) The method of claim 10, further comprising the step of:

adjusting the measured usage in order to control possible overcharging to the customer.

PATENT

Atty. Dkt. No. 003493.00360 (ATT/2001-0335)

12. (Currently Amended) The method of claim 10, wherein ~~step (f)~~ said charging step utilizes a minimum usage and a usage charge.

13. (Currently Amended) The method of claim 12, wherein ~~step (f)~~ said charging step further utilizes a fixed charge.

14. (Original) The method of claim 10, further comprising the step of:
adjusting the probabilistic parameter in order to achieve a predetermined degree of accuracy of charging the customer, wherein a sampling volume is related to the probabilistic parameter.

15. (Original) The method of claim 10, further comprising the step of:
adjusting the probabilistic parameter in order to reduce unbillable usage within a predetermined percentage of the measured usage, wherein a sampling volume is related to the probabilistic parameter.

16. (Original) The method of claim 10, further comprising the step of:
adjusting the billing period in order to control a degree of accuracy for charging the customer.

17. (Original) The method of claim 14, wherein the probabilistic parameter is adjusted.

18. (Original) The method of claim 15, wherein the probabilistic parameter is adjusted.

19. (Original) The method of claim 16, wherein the probabilistic parameter is adjusted.

20. (Currently Amended) The method of claim 1 further comprising the steps of:

PATENT

Att. Dkt. No. 003493.00360 (ATT/2001-0335)

(e) — obtaining at least one sample from ~~step (d)~~ said processing step;
and
(f) — calculating an estimated sampling volume from ~~step (e)~~ said
obtaining step.

21. (Currently Amended) The method of claim 20, further comprising the step
of:

(g) — storing the estimated sampling volume.

22. (Currently Amended) The method of claim 20, further comprising the step
of:

(g) — reconfiguring the data network in accordance with the estimated
sampling volume.

23. (Currently Amended) The method of claim 20, further comprising the step
of:

(g) — adjusting the probabilistic parameter in order that the measured
sampling volume approximates a targeted sampling volume.

24. (Currently Amended) The method of claim 23, wherein ~~step (g)~~ said
adjusting step comprises:

updating a value of the probabilistic parameter corresponding to a
sampling window.

25. (Original) The method of claim 24, wherein a current value of the probabilistic
parameter equals a previous value of the probabilistic parameter multiplied by N divided
by M, wherein N equals the measured sampling volume and M equals to the targeted
sampling volume and wherein the previous value corresponds to a previous sampling
window.

PATENT

Atty. Dkt. No. 003493.00360 (ATT/2001-0335)

26. (Original) The method of claim 24, wherein a current value of the probabilistic parameter equals a previous value of the probabilistic parameter multiplied by $(N-R)$ divided by $(M-R)$ if M is greater than N and multiplied by N/M if N is greater than M , wherein N equals the measured sampling volume, M equals the targeted sampling volume, and R equals the sampling volume for objects having a size greater than the previous value of the probabilistic parameter.

27. (Original) The method of claim 24, wherein a current value of the probabilistic parameter is determined by a set of numbers and a target sampling volume, wherein each number corresponds to a size of a sampled object that was sampled in a previous sampling window.

28. (Original) The method of claim 24, further comprising the steps of:

immediately updating a value of the probabilistic parameter when the measured sampling volume is greater than the targeted sampling volume in proportion to a measurement time duration, wherein the measurement time duration is less than the sampling window.

29. (Original) The method of claim 28, further comprising the step of:

realigning the sampling window in accordance with the step of updating the value of the probabilistic parameter.

30. (Original) The method of claim 25, further comprising the step of:

adjusting the measured sampling volume in accordance with a variance of the measured sampling volume.

31. (Original) The method of claim 26 further comprising the step of:

adjusting the measured sampling volume in accordance with a variance of the measured sampling volume.

32. (Original) The method of claim 27, further comprising the step of:

PATENT

Atty. Dkt. No. 003493.00360 (ATT/2001-0335)

adjusting the measured sampling volume in accordance with a variance of the measured sampling volume.

33. (Currently Amended) The method of claim 1, wherein ~~step (e)~~ said sampling step utilizes a quasi-random data sampling algorithm.

34. (Original) The method of claim 7, wherein the probabilistic parameter is associated with a probability function that is characterized by a value equal to zero when the size of the object is zero, a linearly increasing value when the size is between zero and the probabilistic parameter, and equal to one when the size is greater than the probabilistic parameter.

35. (Original) The method of claim 10, wherein the charging function comprises a fixed charge and a usage charge, wherein the usage charge is determined from a charge per unit of data, a minimum usage, and the measured usage.

36. (Original) The method of claim 1, wherein the probabilistic parameter corresponds to a first color and a second probabilistic parameter corresponds to a second color, wherein each color is associated with the at least one attribute.

37. (Currently Amended) A method for charging a customer for usage of a data network, comprising the steps of:

(a)——adjusting a probabilistic parameter in accordance with a charging accuracy;

(b)——receiving an object, wherein the object is characterized by a size and a customer;

(c)——determining whether to sample the object in accordance with the probabilistic parameter, wherein the probabilistic parameter approximately optimizes a cost function and wherein the cost function relates the probabilistic parameter to a sampling accuracy and a sampling volume;

(d)——sampling the object in response to ~~step (e)~~ said determining step;

PATENT

Atty. Dkt. No. 003493.00360 (ATT/2001-0335)

- (e)——normalizing the sample in response to ~~step (d)~~ said sampling step;
- (f)——determining the usage for the customer in accordance with ~~step (e)~~ said normalizing step;
- (g)——adjusting the usage in accordance with the charging accuracy; and
- (h)——determining a charge to the customer in response to ~~step (g)~~ said adjusting step.

38. (Currently Amended) A method for managing a data network in accordance with a traffic volume, comprising the steps of:

- (a)——adjusting a probabilistic parameter for a sampling window in accordance with a targeted sampling volume;
- (b)——receiving an object, wherein the object is characterized by a size;
- (c)——determining whether to sample the object in accordance with the probabilistic parameter, wherein the probabilistic parameter approximately optimizes a cost function, wherein the cost function relates the probabilistic parameter to a sampling accuracy and a sampling volume;
- (d)——sampling the object in response to ~~step (c)~~ said determining step;
- (e)——normalizing the sample in response to ~~step (d)~~ said sampling step;
- (f)——determining an estimated traffic volume in accordance with ~~step (e)~~ said normalizing step; and
- (g)——utilizing the estimated traffic volume to manage the data network.